

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"20010054158"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 13:45
L2	2	"7234656".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 13:57
L3	3	"20030012129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 13:57
L4	0	"200220163686"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 13:59
L5	3	"20020163686"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 13:59
L6	2	"2002281068"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:04
L7	2	"7188280".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:04

L8	1	reconfigur\$3 near address with gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:17
L9	2	"20050125542"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:37
L10	132	709/227.ccls.and redirect \$3 near (data or message or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:30
L11	48	L10 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:31
L12	1	L10 and (encrypt with data) near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:31
S1	735	713/153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 17:05
S2	11	713/153.ccls.and transmit\$3 with indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:49
S4	36	((transmit\$3 or reciev \$3) with (encrypt\$3 or scrumble or encipre) with data) same ((first or second) with (gateway or channal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:25

S5	2	"20030152224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:05
S6	51	ZHU near TONG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:05
S10	1	S6 and transmit\$3 near indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:11
S11	1	S6 and reconfigur\$3 with first with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:12
S12	2	"20050125542"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:14
S13	3837	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:14
S14	147	S13 and (redirect with (message or data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:16
S17	1	S14 and reconfigur\$3 with first with (data or information or message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:21

S19	11040	gateway with nodes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:27
S20	14	S14 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:28
S22	60	(fail\$3 or drop) with node near indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:28
S23	5	((fail\$3 or drop) with node) near indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:28
S24	46	("4532625" "5109486" "5115495" "5121390" "5125075").PN. OR ("5542047").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 16:50
S25	96	"709"/\$.ccls.and reconfigur\$3 with first with data	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 16:51
S26	10793	S25 and transmit\$3 or send with indication	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 16:52
S27	8	S25 and (transmit\$3 or send) with indication	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 17:01
S28	5	((fail\$3 or drop) with node) near indication)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 17:02
S30	29	713/153.ccls.and ((fail \$3 or drop) with node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 17:07
S32	1374	conventional with tunneling	USPAT	OR	ON	2007/05/02 17:39
S33	4	conventional with tunneling and ((first or second) with gateway)	USPAT	OR	ON	2007/05/02 17:38

S36	21	conventional with tunneling and "709"/\$.ccls.	USPAT	OR	ON	2007/05/02 18:24
S37	7	conventional with tunneling and "713"/\$.ccls.	USPAT	OR	ON	2007/05/02 17:43
S38	8	conventional with tunneling and "726"/\$.ccls.	USPAT	OR	ON	2007/05/02 17:39
S39	0	"07000121".pn.	USPAT	OR	ON	2007/05/02 18:24
S40	1	"7000121".pn.	USPAT	OR	ON	2007/05/02 18:24
S41	1	"6986061".pn.	USPAT	OR	ON	2007/05/02 18:25
S42	42	(transmit\$3 or send) near (indicat\$3 with fail\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 14:44
S43	4	S42 and (gatekeeper or gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 14:43
S44	0	713/4.ccls.and(transmit\$3 or send) near (indicat\$3 with fail\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 14:45
S45	1	"713"/\$.ccls.and(transmit\$3 or send) near (indicat\$3 with fail\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 14:45
S46	994	713/153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S47	4853	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12

S48	201	S47 and (redirect with (message or data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S49	1	S46 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S50	4853	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S51	201	S50 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S52	77	(fail\$3 or drop) with node near indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S54	1	S52 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:13

3/ 20/ 2009 5:32:36 PM

C:\ Documents and Settings\ fyalew\ My Documents\ EAST\ Workspaces\ 10730222.wsp